Page: 1 of 5

(USA & Canada): 800 424 9000 International: 703 741 5970

Emergency Telephone Number:

Unasco Pty Ltd CCN710993

CHEMTREC:

Issue Date: September 2015 ISSUED by UNASCO

Product Name GOLD TAPE

Identification

GHS Product Identifier

GOLD TAPE

Company Name

UNASCO PTY LTD

Address 1 Amax Avenue

Girraween, NSW 2145 Australia **Non-Emergency** Tel: 800 713 4589

Telephone/Fax Number

Fax: 707 238 1419

Recommended use of the chemical and restrictions on use

Industrial tape.

Hazard Identification 2.

Classification of the substance or mixture Not classified as Hazardous according to the Globally Harmonized System

of Classification and labeling of Chemicals

3. Composition/information on ingredients

Information on

This product contains the following ingredients:

Polytetrafluoroethylene Composition

Distillates (petroleum), hydro-treated

Pigment

Ingredients Name CAS **Proportion**

100% Ingredients determined

not to be hazardous

4. First-aid measures

Inhalation Not considered a potential route of exposure. However, if inhaled, remove

affected person from contaminated area. Keep at rest until recovered. If

symptoms develop and/or persist seek medical attention.

Unlikely due to form of product. However, if ingested, do not induce Ingestion

vomiting. Wash out mouth thoroughly with water. If symptoms develop seek

medical attention.

Wash affected area thoroughly with soap and water. If symptoms develop Skin

seek medical attention.

Eye contact Not considered a potential route of exposure. However if in eyes, hold eyelids

apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If

symptoms develop and persist seek medical attention.

First Aid Facilities Eyewash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information

5. Fire-fighting measures

Use carbon dioxide, dry chemical or foam. Suitable

extinguishing media

Hazards from

Under fire conditions this product may emit toxic and/or irritating fumes,

smoke and gases including carbon monoxide, carbon dioxide, hydrogen Combustion fluoride and oxides of nitrogen.

Products

Specific hazards

Combustible. This product will readily burn under fire conditions.

arising from the chemical

Not available **Decomposition**

Temp.

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated Precautions in in positive pressure mode and full protective clothing to prevent exposure to connection with Fire

vapors or fumes. Water spray may be used to cool down heat-exposed

Safety Data Sheet₂

Page: 2 of 5

Issue Date: September 2015 ISSUED by UNASCO

Product Name GOLD TAPE

containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Collect the material and place into a suitable labeled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Avoid exposure. Use only in a well ventilated area. Keep containers tightly closed. Prevent the build up of dusts, mists or vapors in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatabilities Handling Store in a cool, dry, well-ventilated area, out of direct sunlight. Ensure that storage conditions comply with applicable local and national regulations.

Recommended operating temperatures: $-260\,^{\circ}\text{C}$ ($-436\,^{\circ}\text{F}$) to $260\,^{\circ}\text{C}$ ($500\,^{\circ}\text{F}$)

Store below $260^{\circ}C(500^{\circ}F)$.

Temperatures Storage Temperatures

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this material However, the available exposure limits for decomposition products are given below:

Substance TWA STEL NOTICES

Hydrogen fluoride 3 2.6 Peak Limitation

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

Biological Limit

No biological limits allocated.

Values

Appropriate Use with goo engineering controls

Use with good general ventilation.

engineering controls Respiratory

None required, when used as intended.

Protection

Eye Protection None required, when used as intended.

Hand Protection None required, when used as intended.

Hand Protection None required, when used as intended

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and

wrist is recommended.

9. Physical and chemical properties

Δn	pearance
· NP	pear ance

Color Solid polymeric film

Odor Yellow

Decomposition Odorless
Temperature Not available

Page: 3 of 5

Issue Date: September 2015 ISSUED by UNASCO

Product Name GOLD TAPE

Melting PointNot availableBoiling PointNot availableSolubility in WaterInsoluble

Specific Gravity 2.1

PH Not applicable
Vapor Pressure Not applicable
Vapor Density Not available

(Air=1)

Evaporation Rate Not available
Odor Threshold Not available
Viscosity Not applicable

Partition Coefficient:

Not available

n-octanol/water Flash Point

Flash Point Not applicable
Flammability Not flammable

Auto-Ignition Temperature Not self igniting

Explosion Limit -

Not applicable

Upper

Explosion Limit - Not applicable

Lower

10. Stability and reactivity

Reactivity Reacts with incompatible materials.

Chemical Stability Stable under normal conditions of storage and handling. Conditions to Avoid Heat and sources of ignition. Temperatures >260 °C (500 °F)

without

and fever).

Incompatible Materials Strong oxidizing agents. Alkali metals, extremely potent oxidizers e.g. fluorine, chlorine tri-fluoride, 80% NaOH or KOH, metal hydrides such as boranes (e.g. B2H6) aluminum chloride, ammonia, certain amines (R-NH2) imines (RH-NH) and 70% nitric acid at temperatures near 260°C (500°F). Do not

use on oxygen lines.

Hazardous Decomposition Products Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide, hydrogen fluoride and carbon dioxide. Carbonyl fluoride is the main decomposition product formed when PTFE is subjected to extended exposure at normal sintering temperatures $400^{\circ}\text{C}(752^{\circ}\text{F})$. Carbonyl fluoride is immediately converted to highly corrosive hydrogen fluoride in the presence of moist air.

Reacts with incompatible materials.

Possibility of hazardous reactions

11. Toxicological Information

Toxicology

No toxicology data available for this product.

Information

No toxicity was observed in male/female rats fed PTFE (up to 25%) for 90 days. Local sarcomas were induced in mice and rats implanted subcutaneously or intraperitoneally with PTFE. However, this is not considered relevant to normal industrial usage.

Ingestion

Ingestion unlikely due to form of product. Ingestion of this product

may irritate the gastric tract causing nausea and vomiting.

Inhalation

No adverse effects expected. The material is not normally an inhalation hazard at temperatures below $260\,^{\circ}\text{C}(500\,^{\circ}\text{F})$ as it remains an inert solid. However,

exposure to thermal degradation products at temperatures above 260°C(500°F) or fumes from tobacco contaminated with particles of the product may result in polymer fume fever or influenza-like symptoms (chills, headaches, difficulty in breathing

Symptoms may appear several hours after exposure but will disappear within

Page: 4 of 5

Issue Date: September 2015 ISSUED by UNASCO

Product Name GOLD TAPE

24-48 hours. There are exposure standards for decomposition products.

Skin May be irritating to skin. The symptoms may include redness, itching and

swelling.

Eye contact may cause mechanical irritation. May result in mild abrasion. Eye

Respiratory

Not expected to be a respiratory sensitizer.

sensitization

Not expected to be a skin sensitizer. **Skin Sensitization** Not considered to be a mutagenic hazard. Germ cell

mutagenicity

Carcinogenicity Polytetrafluoroethylene is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research

on Cancer (IARC).

Reproductive Toxicity STOT- Not considered to be toxic to reproduction.

single exposure

Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

Aspiration

Not considered to be an aspiration hazard. Hazard

12. Ecological information

Ecotoxicity No ecological data are available for this material.

Persistence and

Not available

degradability

Not available Mobility Not available Bioaccumulative

Potential

Not available Other Adverse

Effects

Environmental Prevent this material entering waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal

Considerations

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

14. Transport information

Road and Rail Transport Transport

Information Not classified as Dangerous Goods.

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by

Air.

IMDG Marine

No pollutant

15. Regulatory information

Regulatory Information Not classified as Hazardous according to the Globally Harmonized System of Classification and labeling of Chemicals (GHS).

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Page: 5 of 5

Issue Date: September 2015 ISSUED by UNASCO

Product Name GOLD TAPE

16. Other Information